

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

RELEASED
DECEMBER 21, 1943
11:00 A.M. (P.W.T.)

NEW MEXICO

TEXAS - DISTRICT 6

ALL STATES

[illegible]

ESTIMATED GRADE AND STAPLE LENGTH OF UPLAND COTTON GINNED

GRADE AND LENGTH	ARIZONA			CALIFORNIA			NEW MEXICO			TEXAS - DISTRICT 6			TOTAL WESTERN IRRIGATED		
	SEASON THRU			SEASON THRU			SEASON THRU			DECEMBER			SEASON THRU		
	DECEMBER 1-12	1942 PCT.	1943 PCT.	DECEMBER 1-12	1942 PCT.	1943 PCT.	DECEMBER 1-12	1942 PCT.	1943 PCT.	DECEMBER 1-12	1942 PCT.	1943 PCT.	DECEMBER 1-12	1942 PCT.	1943 PCT.
G.M. EXTRA WHITE	17.6	1.6	3	11.8	3	2.5	8	1.2	9	6.8	3.1	3	4.6	1.7	
M. " "	57.1	46.7	31.7	17.3	53.3	66.7	1.1	22.9	52.2	31.4	36.1	22.8	43.6	52.2	
S.L.M. " "	35.5	42.6	31.7	45.7	30.1	27.1	29.0	48.2	40.9	22.5	53.7	56.4	38.1	32.8	
L.M. " "	12.7	17.6	11.2	17.6	5.3	3.3	42.5	18.5	2.7	22.6	12.2	13.6	8.0	6.7	
G.O. " "	1.1	1.1	4.3	3	1	1	3.4	1.1	1.1	2.6	7	1.0	.4	.8	
G.O. AND ABOVE WHITE							.2								
S.M. " "	1.1	.2													
S.L.M. AND BELOW SPOTTED	2.2	.4					1.7	1.2	*	7.9	1.3				
G.M. " "	5.6	3.0	1.9	1.4	1.4	*	5.4	2.5	9	21.5	4.1	6	2.0	1.8	
S.M. " "	10.4	3.8	25.6	1.3	1.3	.2	11.6	3.7	1.4	5.8	7	4.2	7.8	2.2	
S.L.M. " "			11.2	.1	.1		2.7	.5	*	1.0	.3	7	.5	1.5	
L.M. " "							2.3	.2					.1	*	
TINGED, YELLOW STAINED 7 GRAY	.2	*													
BELOW GRADES															
ALL GRADES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
GRADE INDEX	100.1	98.6	101.8	97.9	99.2	102.6	95.8	99.6	101.8	97.1	96.6	99.8	98.9	101.3	101.5
ROUGH PREPARATION 2/	1	1.0	2	1.0	.8	.6	.3	2.2	.2	6.8	1	4	9	1.3	6
13/16 AND SHORTER															
7/8							1.2	*	*	.5					
29/32							2.2	.4	*	1.5					
15/16							2.2	.5	*	1.5					
31/32							1.0	.6	*	1.5					
1 - 1/32	3	4.7	4.7	2.6	3		2.2	.5	*	1.5	.3				*
1 - 1/16	2.8	46.7	36.1	21.2	3		3.2	.6	*	1.5					*
1 - 3/32	33.0	32.2	39.7	36.5	5		9.0	1.8	2	11.5	2.7				2.7
1 - 1/8	41.0	32.2	20.7	20.7	13.3		34.2	10.1	15.4	26.2	16.7	3.5	6.8	4.9	4.9
1 - 5/32	17.7	8.3	15.2	6.5	78.6		35.2	33.6	57.0	23.1	23.0	21.1	18.0	20.9	20.9
1 - 3/16 AND LONGER	3.3	3.3	3.2	3.1	6.7		13.6	46.0	24.0	15.7	15.6	66.5	54.3	57.7	57.7
PERISHED STAPLE	1.6	4.3	2	1.0	2		3	6.5	2.0	3.7	3.7	7.0	16.7	10.5	10.5
ALL LENGTHS	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
AVERAGE STAPLE LENGTH	33.9	33.8	33.8	33.7	34.9	34.8	34.3	35.4	35.1	34.9	35.1	34.6	34.9	34.8	34.8
TEND. ON FUTURES CONTRACTS	77.3	35.4	87.8	40.6	65.1	95.7	28.6	70.1	93.8	37.2	39.1	62.5	79.4	84.9	86.0

* LESS THAN 0.05 PERCENT

1/ SAMPLES LOWER IN GRADE THAN LOWEST GRADES OF OFFICIALS STANDARDS.

2/ MIDDLING WHITE IS 100. LARGER INDEX NUMBERS INDICATE HIGHER GRADE.

3/ SAMPLES REDUCED ONE OR MORE GRADES BECAUSE OF ROUGH PREPARATION.

1.9422
C 8E28

WAR FOOD ADMINISTRATION
FOOD DISTRIBUTION ADMINISTRATION
COTTON AND FIBER DIVISION
SAN FRANCISCO 3, CALIFORNIA

LIBRARY
CURRENT SERIAL RECORD

JUN 21 1944

U. S. DEPARTMENT OF AGRICULTURE

RELEASED
DECEMBER 23, 1943
11:00 AM (P.W.T.)

CORRECTED REPORT

ESTIMATED GRADE AND STAPLE LENGTH OF UPLAND COTTON GINNED

GRADE AND LENGTH		CALIFORNIA			
		DECEMBER 1 - 12		SEASON THRU DECEMBER 12	
		1942 PCT.	1943 PCT.	1942 PCT.	1943 PCT.
G.M.	EXTRA WHITE	.3	.3	7.2	2.5
S.M.	"	17.3	27.1	53.3	66.7
M.	"	45.7	59.9	30.1	27.1
S.L.M.	"	17.6	11.2	5.3	3.3
L.M.	"	.3	.3	.1	.1
S.G.O.	"				
G.O.	"				
S.M. AND ABOVE	WHITE	*		*	
M.	"	.4		.4	
S.L.M. AND BELOW	"	.4		.4	*
G.M.	SPOTTED	1.4	.1	1.4	*
S.M.	"	1.3	.5	1.3	.2
M.	"	.1	*	.1	*
S.L.M.	"				
L.M.	"				
TINGED, YELLOW STAINED & GRAY		2.4	.8	.4	.1
BELOW GRADE	1/			*	
ALL GRADES		100.0	100.0	100.0	100.0
GRADE INDEX	2/	99.2	100.3	102.2	102.6
ROUGH PREPARATION	3/	.8	.4	1.3	.6
13/16 AND SHORTER				*	
7/8					
29/32		.1		*	
15/16		.1	.1	.1	*
31/32		.1	.1	.1	*
1		.3	.3	.3	.2
1 - 1/32		.5	.1	.7	.3
1 - 1/16		16.0	20.3	13.3	25.7
1 - 3/32		79.0	73.8	78.6	71.9
1 - 1/8		3.8	5.2	6.7	3.8
1 - 5/32		.1	.1	.2	.1
1 - 3/16 AND LONGER				*	
PERISHED STAPLE					
ALL LENGTHS		100.0	100.0	100.0	100.0
AVERAGE STAPLE LENGTH		34.8	34.9	34.9	34.8
TEND. ON FUTURES CONTRACTS		65.1	87.3	89.8	95.7

*LESS THAN 0.05 PERCENT 1/ SAMPLES LOWER IN GRADE THAN
LOWEST GRADES OF OFFICIALS
STANDARDS.

2/ MIDDLING WHITE IS 100. LARGER
INDEX NUMBERS INDICATE HIGHER
GRADE.

3/ SAMPLES REDUCED ONE OR MORE GRADES BECAUSE OF ROUGH PREPARATION.

GRADE AND STAPLE REPORT AS OF DECEMBER 12, 1943

WESTERN UPLAND COTTON

CALIFORNIA - GINNINGS IN CALIFORNIA THROUGH DECEMBER 12, CONTINUE TO SHOW A LARGE PERCENTAGE OF THE HIGHER GRADES WHILE THE PROPORTION OF SPOTTED COTTON TO DATE HAS BEEN NEGLIGIBLE. APPROXIMATELY 69 PERCENT OF CURRENT GINNINGS ARE ESTIMATED TO BE EXTRA WHITE STRICT MIDDLING AND ABOVE, COMPARED WITH 61 PERCENT TO THE SAME DATE LAST YEAR. ABOUT 4 PERCENT OF THE CURRENT CROP TO DATE IS 1-1/8" AND LONGER AGAINST 7 PERCENT A YEAR AGO. PREDOMINATING STAPLE LENGTHS THIS YEAR ARE AGAIN 1-1/16" AND 1-3/32", THE SAME LENGTHS WHICH ACCOUNTED FOR A MAJORITY OF LAST SEASON'S CROP.

NOTE: DUE TO AN ERROR MADE IN PREPARING THE GRADE AND STAPLE REPORT RELEASED DECEMBER 21, 1943, WE ARE HEREBY ISSUING A CORRECTED REPORT FOR THE STATE OF CALIFORNIA.

